

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Residences in Zone C2

Notes:				
ND = Not Detected				
ISP = Incident Specific Parameter				
EAL = DOH Environmental Action Level				
EPA MCL = EPA Maximum Contaminant Level				
All Results shown in Parts per Billion (ppb)				
§ - Exceeds Screening Level				
-- = No Information Available				
N (Normal) = Full compliance sample				
FD (Field Duplicate) = Extra sample taken for quality control				
N (Grab, Resample) = Additional follow-up sample				
			Location ID:	C2-PAUL4576
			Location Type:	Residence
			Address:	4576 Paul Hamilton Avenue
			Field Sample ID:	C2-TW-0015742-23162-N-T
			Sample Date:	2023-09-06
			Sample Type:	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	
Field Test (ppb)	Free Chlorine	4000	MCL	650
General Chemistry (ppb)	Total Organic Carbon	2000	ISP	ND
Hydrocarbons (ppb)	Petroleum Hydrocarbons (as Diesel)	--	--	54.9
	Petroleum Hydrocarbons (as Gasoline)	--	--	ND
	Petroleum Hydrocarbons (as Oil)	--	--	ND
	Petroleum Hydrocarbons, Total	266	ISP	54.9
Metals (ppb)	Antimony	6	MCL	ND
	Arsenic	10	MCL	0.950
	Barium	2000	MCL	2.00
	Beryllium	4	MCL	ND
	Cadmium	5	MCL	ND
	Chromium	100	MCL	0.800
	Copper	1300	MCL	10.5
	Lead	15	MCL	ND
	Mercury	2	MCL	ND
	Selenium	50	MCL	2.20
	Thallium	2	MCL	ND
Synthetic Organic Compounds (ppb)	1-Methylnaphthalene	10	EAL	ND
	2-Methylnaphthalene	10	EAL	ND
	Benzo(a)pyrene	0.2	MCL	ND
	Bis(2-ethylhexyl)phthalate	6	MCL	ND
	Naphthalene	17	EAL	ND
Volatile Organic Compounds (ppb)	1,1,1-Trichloroethane	--	--	ND
	1,1,2-Trichloroethane	5	MCL	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Residences in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

		Location ID:	C2-PAUL4576	
		Location Type:	Residence	
		Address:	4576 Paul Hamilton Avenue	
		Field Sample ID:	C2-TW-0015742-23162-N-T	
		Sample Date:	2023-09-06	
		Sample Type:	N (Normal)	
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	
Volatile Organic Compounds (ppb)	1,1-Dichloroethene	7	MCL	ND
	1,2,4-Trichlorobenzene	70	MCL	ND
	1,2-Dichlorobenzene	600	MCL	ND
	1,2-Dichloroethane	5	MCL	ND
	1,2-Dichloroethene (Total)	70	MCL	ND
	1,2-Dichloropropane	5	MCL	ND
	1,4-Dichlorobenzene	75	MCL	ND
	Benzene	5	MCL	ND
	Carbon Tetrachloride	5	MCL	ND
	Chlorobenzene	100	MCL	ND
	cis-1,2-Dichloroethene	70	MCL	ND
	Ethylbenzene	700	MCL	ND
	m,p-Xylene	--	--	ND
	Methylene chloride	5	MCL	ND
	o-Xylene	--	--	ND
	Styrene	100	MCL	ND
	Tetrachloroethene (PCE)	5	MCL	ND
	Toluene	1000	MCL	ND
	trans-1,2-Dichloroethene	100	MCL	ND
	Trichloroethene (TCE)	5	MCL	ND
Haloacetic Acids (ppb)	Vinyl chloride	2	MCL	ND
	Xylenes, Total	10000	MCL	ND
	Bromoacetic acid	--	--	ND
	Chloroacetic acid	--	--	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Residences in Zone C2

Notes:				
ND = Not Detected				
ISP = Incident Specific Parameter				
EAL = DOH Environmental Action Level				
EPA MCL = EPA Maximum Contaminant Level				
All Results shown in Parts per Billion (ppb)				
§ - Exceeds Screening Level				
-- = No Information Available				
N (Normal) = Full compliance sample				
FD (Field Duplicate) = Extra sample taken for quality control				
N (Grab, Resample) = Additional follow-up sample				
			Location ID:	C2-PAUL4576
			Location Type:	Residence
			Address:	4576 Paul Hamilton Avenue
			Field Sample ID:	C2-TW-0015742-23162-N-T
			Sample Date:	2023-09-06
			Sample Type:	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	
Haloacetic Acids (ppb)	Dibromoacetic acid	--	--	ND
	Dichloroacetic acid	--	--	ND
	Trichloroacetic acid	--	--	ND
	Total Haloacetic acids	60	MCL	ND
Trihalomethanes (ppb)	Bromodichloromethane	--	--	ND
	Bromoform	--	--	0.680
	Chloroform	--	--	ND
	Dibromochloromethane	--	--	0.550
	Total Trihalomethanes	80	MCL	1.23

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Other Buildings in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

		Location ID:		C2-BLDG0287	C2-BLDG0394	C2-BLDG1750	C2-BLDG371B
		Location Type:		Non-Residence	Non-Residence	Medical Building	Non-Residence
		Address:		Building 287,ADMIN BLDG, 560 Central Ave	Building 394,BATTERY SHOP (X51)	Building 1750,SHIPYARD MEDICAL CLINIC- PEARL HARBOR, 490 Central Ave	Building 371B,UEM SHOP / ENVIRONMENTAL REMEDATION STOR
		Field Sample ID:		C2-TW-0014878- 23162-N-T	C2-TW-0014889- 23162-N-T	C2-TW-0014833- 23162-N	C2-TW-0014843- 23162-N-T
		Sample Date:		2023-09-06	2023-09-06	2023-07-31	2023-09-06
		Sample Type:		N (Normal)	N (Normal)	N (Normal)	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level				
Field Test (ppb)	Free Chlorine	4000	MCL	390	280	440	230
General Chemistry (ppb)	Total Organic Carbon	2000	ISP	ND	ND	ND	ND
Hydrocarbons (ppb)	Petroleum Hydrocarbons (as Diesel)	--	--	76.9	61.6	ND	ND
	Petroleum Hydrocarbons (as Gasoline)	--	--	ND	ND	ND	ND
	Petroleum Hydrocarbons (as Oil)	--	--	59.4	51.5	ND	ND
	Petroleum Hydrocarbons, Total	266	ISP	136	113	ND	ND
Metals (ppb)	Antimony	6	MCL	ND	ND	ND	ND
	Arsenic	10	MCL	0.890	0.950	ND	1.00
	Barium	2000	MCL	2.00	2.00	2.00	2.00
	Beryllium	4	MCL	ND	ND	ND	ND
	Cadmium	5	MCL	ND	0.0860	ND	ND
	Chromium	100	MCL	0.780	0.500	0.840	0.780
	Copper	1300	MCL	56.5	2.00	84.2	9.80
	Lead	15	MCL	0.190	0.140	0.210	ND
	Mercury	2	MCL	ND	ND	ND	ND
	Selenium	50	MCL	2.20	2.30	1.60	2.60
	Thallium	2	MCL	ND	ND	ND	ND
Synthetic Organic Compounds (ppb)	1-Methylnaphthalene	10	EAL	ND	ND	ND	ND
	2-Methylnaphthalene	10	EAL	ND	ND	ND	ND
	Benzo(a)pyrene	0.2	MCL	ND	ND	ND	ND
	Bis(2-ethylhexyl)phthalate	6	MCL	ND	ND	ND	ND
	Naphthalene	17	EAL	ND	ND	ND	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Other Buildings in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	Location ID:	C2-BLDG0287	C2-BLDG0394	C2-BLDG1750	C2-BLDG371B
				Location Type:	Non-Residence	Non-Residence	Medical Building	Non-Residence
				Address:	Building 287,ADMIN BLDG, 560 Central Ave	Building 394,BATTERY SHOP (X51)	Building 1750,SHIPYARD MEDICAL CLINIC-PEARL HARBOR, 490 Central Ave	Building 371B,UEM SHOP / ENVIRONMENTAL REMEDIATION STOR
				Field Sample ID:	C2-TW-0014878-23162-N-T	C2-TW-0014889-23162-N-T	C2-TW-0014833-23162-N	C2-TW-0014843-23162-N-T
				Sample Date:	2023-09-06	2023-09-06	2023-07-31	2023-09-06
				Sample Type:	N (Normal)	N (Normal)	N (Normal)	N (Normal)
Volatile Organic Compounds (ppb)	1,1,1-Trichloroethane	--	--	ND	ND	ND	ND	ND
	1,1,2-Trichloroethane	5	MCL	ND	ND	ND	ND	ND
	1,1-Dichloroethene	7	MCL	ND	ND	ND	ND	ND
	1,2,4-Trichlorobenzene	70	MCL	ND	ND	ND	ND	ND
	1,2-Dichlorobenzene	600	MCL	ND	ND	ND	ND	ND
	1,2-Dichloroethane	5	MCL	ND	ND	ND	ND	ND
	1,2-Dichloroethene (Total)	70	MCL	ND	ND	ND	ND	ND
	1,2-Dichloropropane	5	MCL	ND	ND	ND	ND	ND
	1,4-Dichlorobenzene	75	MCL	ND	ND	ND	ND	ND
	Benzene	5	MCL	ND	ND	ND	ND	ND
	Carbon Tetrachloride	5	MCL	ND	ND	ND	ND	ND
	Chlorobenzene	100	MCL	ND	ND	ND	ND	ND
	cis-1,2-Dichloroethene	70	MCL	ND	ND	ND	ND	ND
	Ethylbenzene	700	MCL	ND	ND	ND	ND	ND
	m,p-Xylene	--	--	ND	ND	ND	ND	ND
	Methylene chloride	5	MCL	ND	ND	ND	ND	ND
	o-Xylene	--	--	ND	ND	ND	ND	ND
	Styrene	100	MCL	ND	ND	ND	ND	ND
	Tetrachloroethene (PCE)	5	MCL	ND	ND	ND	ND	ND
	Toluene	1000	MCL	ND	ND	ND	ND	ND
	trans-1,2-Dichloroethene	100	MCL	ND	ND	ND	ND	ND
	Trichloroethene (TCE)	5	MCL	ND	ND	ND	ND	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Other Buildings in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

				Location ID:	C2-BLDG0287	C2-BLDG0394	C2-BLDG1750	C2-BLDG371B
				Location Type:	Non-Residence	Non-Residence	Medical Building	Non-Residence
				Address:	Building 287,ADMIN BLDG, 560 Central Ave	Building 394,BATTERY SHOP (X51)	Building 1750,SHIPYARD MEDICAL CLINIC- PEARL HARBOR, 490 Central Ave	Building 371B,UEM SHOP / ENVIRONMENTAL REMEDATION STOR
				Field Sample ID:	C2-TW-0014878- 23162-N-T	C2-TW-0014889- 23162-N-T	C2-TW-0014833- 23162-N	C2-TW-0014843- 23162-N-T
				Sample Date:	2023-09-06	2023-09-06	2023-07-31	2023-09-06
				Sample Type:	N (Normal)	N (Normal)	N (Normal)	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level					
Volatile Organic Compounds (ppb)	Vinyl chloride	2	MCL	ND	ND	ND	ND	
	Xylenes, Total	10000	MCL	ND	ND	ND	ND	
Haloacetic Acids (ppb)	Bromoacetic acid	--	--	ND	ND	ND	ND	
	Chloroacetic acid	--	--	ND	ND	ND	ND	
	Dibromoacetic acid	--	--	ND	ND	ND	ND	
	Dichloroacetic acid	--	--	ND	ND	ND	ND	
	Trichloroacetic acid	--	--	ND	ND	ND	ND	
	Total Haloacetic acids	60	MCL	ND	ND	ND	ND	
Trihalomethanes (ppb)	Bromodichloromethane	--	--	ND	ND	ND	ND	
	Bromoform	--	--	0.540	0.510	0.270	0.650	
	Chloroform	--	--	ND	ND	ND	ND	
	Dibromochloromethane	--	--	0.330	0.320	0.270	0.490	
	Total Trihalomethanes	80	MCL	0.870	0.830	0.540	1.14	

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

		Location ID:		C2-HYD1230	C2-HYD2089	C2-HYD421		C2-HYD424	C2-HYD650		C2-HYD656
		Location Type:		Hydrant	Hydrant	Hydrant		Hydrant	Hydrant		Hydrant
		Address:		C2-FH209B	C2-FH204	C2-FH246		FH ID: 315	Hydrant 268		Hydrant 301
		Field Sample ID:		C2-DL-0017792-23162 -N	C2-DL-0017795-23162 -N	C2-DL-0017796-23162 -N	C2-DL-0017796-23162 -3-N	C2-DL-0000534-23162 -N	C2-DL-0017794-23162 -N	C2-DL-0017794-23162 -3-N	C2-DL-0017793-23162 -N
		Sample Date:		2023-10-18	2023-09-06	2023-10-18	2023-10-18	2023-07-31	2023-07-31	2023-07-31	2023-10-18
		Sample Type:		N (Normal)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level								
Field Test (ppb)	Free Chlorine	4000	MCL	20.0	50.0	490	490	390	420	420	30.0
General Chemistry (ppb)	Total Organic Carbon	2000	ISP	ND	ND	ND	ND	ND	ND	ND	ND
Hydrocarbons (ppb)	Petroleum Hydrocarbons (as Diesel)	--	--	ND	ND	91.3	85.7	ND	ND	ND	ND
	Petroleum Hydrocarbons (as Gasoline)	--	--	ND	ND	ND	ND	ND	ND	ND	ND
	Petroleum Hydrocarbons (as Oil)	--	--	ND	ND	ND	ND	ND	ND	ND	ND
	Petroleum Hydrocarbons, Total	266	ISP	ND	ND	91.3	85.7	ND	ND	ND	ND
Metals (ppb)	Antimony	6	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	10	MCL	ND	0.790	ND	ND	ND	ND	ND	ND
	Barium	2000	MCL	4.60	2.70	1.90	2.00	1.80	2.30	2.30	1.60
	Beryllium	4	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Chromium	100	MCL	0.530	ND	0.530	ND	0.530	0.690	0.680	ND
	Mercury	2	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Selenium	50	MCL	0.930	1.10	1.80	1.70	1.50	1.40	1.60	0.840
	Thallium	2	MCL	ND	ND	ND	ND	ND	ND	ND	ND
Synthetic Organic Compounds (ppb)	1-Methylnaphthalene	10	EAL	ND	ND	ND	ND	ND	ND	ND	ND
	2-Methylnaphthalene	10	EAL	ND	ND	ND	ND	ND	ND	ND	ND
	Benzo(a)pyrene	0.2	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Bis(2-ethylhexyl)phthalate	6	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	Naphthalene	17	EAL	ND	ND	ND	ND	ND	ND	ND	ND
Volatile Organic Compounds (ppb)	1,1,1-Trichloroethane	--	--	ND	ND	ND	ND	ND	ND	ND	ND
	1,1,2-Trichloroethane	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	1,1-Dichloroethene	7	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	1,2,4-Trichlorobenzene	70	MCL	ND	ND	ND	ND	ND	ND	ND	ND
	1,2-Dichlorobenzene	600	MCL	ND	ND	ND	ND	ND	ND	ND	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

				Location ID:	C2-HYD1230	C2-HYD2089	C2-HYD421		C2-HYD424	C2-HYD650		C2-HYD656
				Location Type:	Hydrant	Hydrant	Hydrant		Hydrant	Hydrant		Hydrant
				Address:	C2-FH209B	C2-FH204	C2-FH246		FH ID: 315	Hydrant 268		Hydrant 301
				Field Sample ID:	C2-DL-0017792-23162 -N	C2-DL-0017795-23162 -N	C2-DL-0017796-23162 -N	C2-DL-0017796-23162 -3-N	C2-DL-0000534-23162 -N	C2-DL-0017794-23162 -N	C2-DL-0017794-23162 -3-N	C2-DL-0017793-23162 -N
				Sample Date:	2023-10-18	2023-09-06	2023-10-18	2023-10-18	2023-07-31	2023-07-31	2023-07-31	2023-10-18
				Sample Type:	N (Normal)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level									
Volatile Organic Compounds (ppb)	1,2-Dichloroethane	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1,2-Dichloroethene (Total)	70	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1,2-Dichloropropane	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1,4-Dichlorobenzene	75	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Benzene	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Carbon Tetrachloride	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Chlorobenzene	100	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	cis-1,2-Dichloroethene	70	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Ethylbenzene	700	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	m,p-Xylene	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Methylene chloride	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	o-Xylene	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Styrene	100	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Tetrachloroethene (PCE)	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Toluene	1000	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	trans-1,2-Dichloroethene	100	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Trichloroethene (TCE)	5	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Vinyl chloride	2	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Xylenes, Total	10000	MCL	ND	ND	ND	ND	ND	ND	ND	ND	ND
Haloacetic Acids (ppb)	Bromoacetic acid	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Chloroacetic acid	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dibromoacetic acid	--	--	1.00	0.720	ND	ND	ND	ND	ND	ND	ND
	Dichloroacetic acid	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Trichloroacetic acid	--	--	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Total Haloacetic acids	60	MCL	1.00	0.720	ND	ND	ND	ND	ND	ND	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

		Location ID:	C2-HYD1230	C2-HYD2089	C2-HYD421		C2-HYD424	C2-HYD650		C2-HYD656
		Location Type:	Hydrant	Hydrant	Hydrant		Hydrant	Hydrant		Hydrant
		Address:	C2-FH209B	C2-FH204	C2-FH246		FH ID: 315	Hydrant 268		Hydrant 301
		Field Sample ID:	C2-DL-0017792-23162 -N	C2-DL-0017795-23162 -N	C2-DL-0017796-23162 -N	C2-DL-0017796-23162 -3-N	C2-DL-0000534-23162 -N	C2-DL-0017794-23162 -N	C2-DL-0017794-23162 -3-N	C2-DL-0017793-23162 -N
		Sample Date:	2023-10-18	2023-09-06	2023-10-18	2023-10-18	2023-07-31	2023-07-31	2023-07-31	2023-10-18
		Sample Type:	N (Normal)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)	N (Normal)	FD (Field Duplicate)	N (Normal)
		DOH Project Screening Level	Basis of Project Screening Level							
Method Group	Analyte									
Trihalomethanes (ppb)	Bromodichloromethane	--	--	0.480	ND	ND	ND	ND	ND	ND
	Bromoform	--	--	6.00	4.50	ND	ND	0.260	0.440	0.450
	Chloroform	--	--	ND	ND	ND	ND	ND	ND	ND
	Dibromochloromethane	--	--	1.60	0.400	ND	ND	ND	0.400	0.410
	Total Trihalomethanes	80	MCL	8.08	4.90	ND	ND	0.260	0.840	0.860

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

				Location ID:	C2-HYD660
				Location Type:	Hydrant
				Address:	Hydrant 303
				Field Sample ID:	C2-DL-0017797-23162-N
				Sample Date:	2023-10-18
				Sample Type:	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level		
Field Test (ppb)	Free Chlorine	4000	MCL	390	
General Chemistry (ppb)	Total Organic Carbon	2000	ISP	ND	
Hydrocarbons (ppb)	Petroleum Hydrocarbons (as Diesel)	--	--	89.4	
	Petroleum Hydrocarbons (as Gasoline)	--	--	ND	
	Petroleum Hydrocarbons (as Oil)	--	--	ND	
	Petroleum Hydrocarbons, Total	266	ISP	89.4	
Metals (ppb)	Antimony	6	MCL	ND	
	Arsenic	10	MCL	ND	
	Barium	2000	MCL	2.00	
	Beryllium	4	MCL	ND	
	Cadmium	5	MCL	ND	
	Chromium	100	MCL	ND	
	Mercury	2	MCL	ND	
	Selenium	50	MCL	0.920	
	Thallium	2	MCL	ND	
Synthetic Organic Compounds (ppb)	1-Methylnaphthalene	10	EAL	ND	
	2-Methylnaphthalene	10	EAL	ND	
	Benzo(a)pyrene	0.2	MCL	ND	
	Bis(2-ethylhexyl)phthalate	6	MCL	ND	
	Naphthalene	17	EAL	ND	
Volatile Organic Compounds (ppb)	1,1,1-Trichloroethane	--	--	ND	
	1,1,2-Trichloroethane	5	MCL	ND	
	1,1-Dichloroethene	7	MCL	ND	
	1,2,4-Trichlorobenzene	70	MCL	ND	
	1,2-Dichlorobenzene	600	MCL	ND	

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:
ND = Not Detected
ISP = Incident Specific Parameter
EAL = DOH Environmental Action Level
EPA MCL = EPA Maximum Contaminant Level
All Results shown in Parts per Billion (ppb)
§ - Exceeds Screening Level
-- = No Information Available
N (Normal) = Full compliance sample
FD (Field Duplicate) = Extra sample taken for quality control
N (Grab, Resample) = Additional follow-up sample

			Location ID:	C2-HYD660
			Location Type:	Hydrant
			Address:	Hydrant 303
			Field Sample ID:	C2-DL-0017797-23162-N
			Sample Date:	2023-10-18
			Sample Type:	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	
Volatile Organic Compounds (ppb)	1,2-Dichloroethane	5	MCL	ND
	1,2-Dichloroethene (Total)	70	MCL	ND
	1,2-Dichloropropane	5	MCL	ND
	1,4-Dichlorobenzene	75	MCL	ND
	Benzene	5	MCL	ND
	Carbon Tetrachloride	5	MCL	ND
	Chlorobenzene	100	MCL	ND
	cis-1,2-Dichloroethene	70	MCL	ND
	Ethylbenzene	700	MCL	ND
	m,p-Xylene	--	--	ND
	Methylene chloride	5	MCL	ND
	o-Xylene	--	--	ND
	Styrene	100	MCL	ND
	Tetrachloroethene (PCE)	5	MCL	ND
	Toluene	1000	MCL	ND
	trans-1,2-Dichloroethene	100	MCL	ND
	Trichloroethene (TCE)	5	MCL	ND
	Vinyl chloride	2	MCL	ND
	Xylenes, Total	10000	MCL	ND
Haloacetic Acids (ppb)	Bromoacetic acid	--	--	ND
	Chloroacetic acid	--	--	ND
	Dibromoacetic acid	--	--	ND
	Dichloroacetic acid	--	--	ND
	Trichloroacetic acid	--	--	ND
	Total Haloacetic acids	60	MCL	ND

Summary of Chemistry Results
Zone C2 Long Term Monitoring
Drinking Water Sampling, Joint Base Pearl Harbor - Hickam, Oahu, Hawaii

Drinking Water Samples collected in June-November 2023 from Fire Hydrants in Zone C2

Notes:				
ND = Not Detected				
ISP = Incident Specific Parameter				
EAL = DOH Environmental Action Level				
EPA MCL = EPA Maximum Contaminant Level				
All Results shown in Parts per Billion (ppb)				
§ - Exceeds Screening Level				
-- = No Information Available				
N (Normal) = Full compliance sample				
FD (Field Duplicate) = Extra sample taken for quality control				
N (Grab, Resample) = Additional follow-up sample				
			Location ID:	C2-HYD660
			Location Type:	Hydrant
			Address:	Hydrant 303
			Field Sample ID:	C2-DL-0017797-23162 -N
			Sample Date:	2023-10-18
			Sample Type:	N (Normal)
Method Group	Analyte	DOH Project Screening Level	Basis of Project Screening Level	
Trihalomethanes (ppb)	Bromodichloromethane	--	--	ND
	Bromoform	--	--	ND
	Chloroform	--	--	ND
	Dibromochloromethane	--	--	ND
	Total Trihalomethanes	80	MCL	ND